Innovative und umweltfreundliche Strahltechnik





Seite: 1/7

Voluntary product information for blasting abrasives based on the format of the safety data sheet of the REACH Regulation (EC) Nr. 1907/2006

1. Identification of the product and the company/undertaking

*1.1 Product identifier

Glass Beads - GP

*1.2 Use of the product

Mineral blasting abrasive for industrial use

*1.3 Details of the supplier of the voluntary product information

Manufacturer / supplier

Lortz Strahlanlagen GmbH

Am Bollplatz 4

64853 Otzberg / Germany

Telefon.: +49616272989 Telefax.: +49616271250

E-Mail-adress

info@lortz-strahltechnik.de

*1.4 emergency phone number: dept. Safety, as above (only while business hours)

2. Hazards identification

*2.1 Classification

Not applicable

*2.2 Label elements

Does not require labelling under the CLP Regulation (EC) No. 1272/2008. But please take note of this product information. No risk of silicosis during application.

Safety instructions

Possible dust exposure due to fine dust particles.

*2.3 Other hazards

Not known

3. Composition / information on ingredients

	ingredients (Mean values)
Silicon dioxide* (SiO ₂)	70,00 – 75,00%
Sodium oxide (Na ₂ O)	12,00 – 15,00%
Calcium oxide (CaO)	7,00 – 12,00%
Magnesium oxide (MgO)	Max. 5,00%
Aluminium oxide (Al ₂ O ₃)	Max. 2,5%
Potassium oxide (K ₂ O)	Max. 1,5%

Chemical characterisation
Glass

EINECS CAS No. (1) REACH Registration No. (2) CLP Notification No. (2) CLP Notification No. (2) CLP Notification No. (2) CLP Notification No. (3) Not subject to REACH-Regulation (CC) No. 1272/2008

Substances listed on the so-called "Candidate List of **S**ubstances of **V**ery **H**igh **C**oncern (**SVHC**) for authorisation" of the European Chemicals Agency (ECHA) are not intentional ingredients of this product. It is therefore not to be expected that those substances are present in quantities of > 0,1 % in the product.

Hazardous substances

No dangerous ingredients

Substances with prescribed EC exposure limits

Does not contain substances with EC exposure limits.

Lortz Strahlanlagen GmbH Am Bollplatz 4 64853 Otzberg / OT Hering Geschäftsführer: Georg Lortz, Marco Lortz Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC USTIDN: DE 111647048

Steuernummer 072 381 1875



^{*}not silicogenic resp. cristalline

Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 2/7

4. First aid measures

Please also take note of sections 8 and 16 of this product information.

*4.1 Description of first aid measures

General information

Consult a doctor in case of health disorders.

After inhalation

Provide the affected person with fresh air. Consult a doctor in case of irritation of the respiratory tract.

After eye contact

Remove contact lenses and rinse the eyes with open eyelids for 10 minutes under running water.

If necessary, consult an ophthalmologist.

After skin contact

Wash with water and rinse.

After swallowing

Rinse mouth and drink plenty of water. Do not induce vomiting. If you feel unwell, seek medical advice.

*4.2 Most important symptoms and effects, both acute and delayed

Not known

*4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Firefighting measures

*5.1 Extinguishing media

Suitable extinguishing media

Product does not burn. Match extinguishing measures to ambient situation.

Unsuitable extinguishing media

Not known

*5.2 Special Hazards arising from the product

Not known

*5.3 Advice for fire fighters

Match the firefighting measures to the environmental conditions.

Additional information

Not known

6. Accidental release measures

*6.1 Personal precautions

Avoid dust formation. Round grain on the ground increases risk of slipping.

*6.2 Environmental protection measures

Not known

*6.3 Methods and materials for containment and cleaning up

Pick up mechanically and dispose of properly.

*6.4 Reference to other sections

Refer to protective measures in sections 7 and 8.

Additional information

Not known

7. Handling and storage

*7.1 Precautions for safe handling

Information on safe handling

Avoid dust formation

Information on fire and explosion protection

No special fire protection measures are necessary.

Additional information

Not known

Lortz Strahlanlagen GmbH Am Bollplatz 4 64853 Otzberg / OT Hering Geschäftsführer: Georg Lortz, Marco Lortz Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Eingetragen beim Amtsgericht Darmstadt, 8 HRB 32067

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC

BIC: GENODE51MIC UST-IdNr.: DE 111647048 Steuernummer 072 381 1875



Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 3/7

*7.2 Conditions for safe storage, including any incompatibilities Information on storage conditions

Always store product in dry conditions.

Requirements for storage rooms and containers

No special requirements needed.

Storage class VCI

LGK 13 (non-combustible solids)

*7.3 Specific end uses

Glass Beads - GP are used for the manufacture of or use as blasting or grinding abrasives.

8. Limitation and monitoring of exposure/personal protective equipment

*8.1 Control parameters

Occupational exposure limit values in the workplace and/or biological limit values Occupational Exposure Limits (OEL) in Germany for dusts

With exceeding factor 2 each, ref. TRGS 900

Community exposure limits

Country specific. Please inquire in individual cases.

*8.2 Limitation and monitoring of exposure

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over the use of personal protective equipment. Provide adequate ventilation. This can be achieved by local suction or general air extraction.

Glass Beads – GP are not a hazardous substance, thus only the general dust limit value applies.

Suitable assessment methods to verify the effectiveness of the protective measures taken include metrological and non-metrological determination methods as described in the Technical Rules for Hazardous Substances (TRGS) 4021 and BS EN 14042 "Workplace areas, Guidelines for the implementation and application of processes for assessment of exposure to chemical and biological agents".

Personal protective equipment

The use of personal protective equipment is dependent on the concentrations and quantity of hazardous substances in their execution in specific workplaces.

Respiratory protection

Normally, no personal respiratory protective equipment is necessary. In case of insufficient ventilation or exceeded workplace limits, a protective breathing mask should be worn (FFP filtering half mask depending on the existing concentration).

Hand protection

Glove material: Leather

Eye protection

Tight-sealing protective eyewear (dust-protection goggles) in accordance with EN 166:2001.

Body protection

With normal use, no body protection by half or full-body coverall and boots is required.

Information on industrial hygiene

Minimum standards for protective measures when handling working materials are listed in TRGS 500.

Eingetragen beim Amtsgericht Darmstadt, 8 HRB 32067

Do not eat, drink, smoke or take drugs while using this product.

Avoid contact with skin, eyes and clothing.

Remove soiled or soaked clothing immediately.

Wash hands before breaks and at end of work.

Protect skin by using skin creams.

Environmental protection measures

See sections 6 and 7; no further action is required.

Lortz Strahlanlagen GmbH Am Bollplatz 4 64853 Otzberg / OT Hering Geschäftsführer: Georg Lortz, Marco Lortz Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC

BIC: GENODE51MIC UST-IdNr.: DE 111647048 Steuernummer 072 381 1875



Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 4/7

9. Physical and chemical characteristics

*9.1 Information on basic physical and chemical properties

Apperance

Apperance round Physical state solid

Colour white-transparent

Odour odourless

Safety data

Explosion hazard The product itself is not explosive; however, formation of explosive

air/dust mixtures is possible.

Lower explosion limit not known Upper explosion limit not known Vapour pressure not relevant Specific gravity approx. 2,5g/cm3 Flow time not relevant Water solubility insoluble in water pH value not applicable Boiling point/range not applicable

Flash point not determined as product is not flammable

Melting point approx. 730 ℃

Ignition temperature not determined as product is not flammable

The information about the explosion limits refers to Glass Beads - GP. Please refer to the technical data sheet

tor

other physical and chemical data.

*9.2 Other Information

None

10. Stability and reactivity

*10.1 Reactivity

Glass Beads - GP are non-reactive and do not change with proper handling and storage.

*10.2 Chemical stability

Glass Beads - GP are chemical stable and do not change with proper handling and storage.

*10.3 Possibility of hazardous reactions

No hazardous reactions known.

*10.4 Conditions to avoid

No decomposition if used according to specifications.

*10.5 Incompatible materials

No hazardous reactions known.

*10.6 Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

*11.1 Information on toxicological effects

According to current IFA report the product contains no silicosis-inducing, toxic and carcinogenic components. The indications given in section 8 of this product information must be observed.

Acute toxicity

No data on the product available

Irritation

No data on the product available

Corrosivity

No data on the product available

Lortz Strahlanlagen GmbH Am Bollplatz 4 64853 Otzberg / OT Hering Geschäftsführer: Georg Lortz, Marco Lortz Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Eingetragen beim Amtsgericht Darmstadt, 8 HRB 32067

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC



Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 5/7

Sensitisation

No data on the product available

Repeated dose to toxicity

No known toxicity of Glass Beads - GP.

CMR effects (carcinogenic, mutagenic and toxic to reproduction)

No carcinogenic effect according to IFA report.

Summarised evaluation of the CMR properties

No known CMR Properties.

Practical experience (relevant for classification and other observations)

No data on the product available

Carzinogenicity

No known carzinogenicity of Glass Beads - GP.

Mutagenicity

No data on the product available

Reproductive toxicity

No data on the product available

Other information

Not known

12. Environmental information

*12.1 Toxicity

No known effects

Ecotoxicity

For Glass Beads - GP no environmental problems are to be expected when handled and used properly.

Fish toxicity

Harmful effects for aquatic organisms are not expected.

Aquatic invertebrates

Harmful effects for aquatic organisms are not expected.

Waterplants

Harmful effects for aquatic organisms are not expected.

*12.2 Persistence and degradability

Based on current experience, this product is inert.

*12.3 Bioaccumulation potential

No data available. Accumulation in biological materials is rather unlikely.

*12.4 Mobility in soil

Potential not known

*12.5 Results of PBT and vPvB assessment

Not relevant. The substances in this product do not meet the criteria for classification as PBT or vPvB.

*12.6 Other harmful effects

Not known

13. Disposal considerations

*13.1 Waste treatment methods

*13.1 Product

Glass Beads - GP. If recycling is not possible, waste must be disposed of in compliance with national and local regulations. Confirm the exact waste code with the disposer.

Waste Code according to European Waste Catalogue (EWC)

12 01 17 waste blasting material other than those mentioned in 12 01 16.

Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Eingetragen beim Amtsgericht Darmstadt, 8 HRB 32067

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC



$\textbf{Strahlautomaten} \cdot \textbf{Kabinen} \cdot \textbf{Strahlmittel}$

Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 6/7

*13.2 Packaging

National and local regulations must be followed.

Contaminated packaging

Packaging with Glass Beads – GP residues can be recycled.

Cleaned packaging

Packaging can be reused after being cleaned or recycled.

14. Transport information

Glass Beads - GP are no dangerous good.

15. Regulatory information

*15.1 Safety, health and environmental regulations/legislation specific for the product

EU Regulations

Not known

National regulations

Water hazard class

Not hazardous to water; classification according to VwVwS, Annex4.

Technical instruction on air quality (TA-Luft)

Substances not mentioned by name.

Hazardous Incidence Ordinance (12.BlmSchV [German Federal Immission Control Ordinance])

Substances not mentioned by name.

Solvents Ordinance (31.BlmSchV [German Federal Immission Control Ordinance])

Substances not mentioned by name.

Chemicals Prohibition Ordinance

Substances not mentioned by name.

Relevant technical Rules for Hazardous Substances

Contains no hazardous substances.

Employment Restrictions

Not known

Miscellaneous

Glass Beads - GP are not subject to the VOC Regulation.

International Regulations

All Glass Beads – GP ingredients are listed with TSCA.

*15.2 Chemical safety assessment

Not relevant

16. Other Information

Further applicable EC directives

Not known

Restrictions on use recommended by the manufacturer

For industrial application only

Other information

The product information in this documentation is correct to the best of our knowledge at the time of printing. The information is intended to provide you with advice on the safe handling of the product mentioned in this product information for storage, processing, transport and disposal. The information cannot be applied to other products. If the product mentioned in this documentation is in any way tampered with i.e. mixed with other materials, processed or undergoes processing, the information as supplied in this document no longer applies to the new product unless stated otherwise.

Changes since the last version

Lortz Strahlanlagen GmbH Am Bollplatz 4 64853 Otzberg / OT Hering Geschäftsführer: Georg Lortz, Marco Lortz Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de

Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC



Innovative und umweltfreundliche Strahltechnik



NEUMASCHINEN · GEBRAUCHTMASCHINEN · LOHNSTRAHLEN

Seite 7/7

Literature and data sources Regulations

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008 Hazardous Substances Ordinance (GefStoffV) Commission Decision 2000/532/EC (AVV) Transport Regulations according to ADR,RID und IATA TRGS 900 VOC Regulation (ChemVOCFarbV)

Hazardous statements, referred to in section 2 and 3 according to Regulation (EC) No. 1272/2008:

None

The above information is based on the present state of knowledge; however, this shall not constitute a guarantee of product properties and establishes no contractual legal rights. Existing laws and regulations must be strictly followed by the recipient or user of the blasting medium on their own responsibility.

Legend

ADR European agreement concerning the international carriage of dangerous goods by road

AVV European Waste Catalogue

BlmSchV Regulation on the Implementation of the (German) Federal Immission Control Ordinance

CAS Chemical Abstracts Service
EC European Community
EN European Standard

IATA-DGR International Air Transport Association-Dangerous Goods Regulations

PBT persistent, bioaccumulative, toxic

RID Regulations concerning the International Carriage of Dangerous Goods

TRGS Technical Rules for Hazardous Substances

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds (VOCs)
vPvB very persistent and very bioaccumulative

VwVwS Administrative Regulation on Substances Hazardous to Water

Contact person product information:

Herr Lortz

Lortz Strahlanlagen GmbH

Am Bollplatz 4

64853 Otzberg

Telefon: 06162/72989 info@Lortz-Strahltechnik.de

27.11.2018



Telefon: (06162) 72989 Telefax: (06162) 71250 www.lortz-strahltechnik.de info@lortz-strahltechnik.de Volksbank Odenwald eG IBAN: DE11 5086 3513 0007 4138 15 BIC: GENODE51MIC

